


	REVISIONS								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
Α		CH'D TITLEBLOCK & REVISION BLOCK, CH'D ENGRAVE NOT P/N -2, LABELED SECTION VIEW A.	6/29/09	RJC	RW				
1	15-0008	-1 ADDED WELDMENT DRAWING.	1/9/2015	RJC	JAG				
2		UPDATED TO NEW DRAFTING STANDARDS1A CH'D DIM WAS SR.13 IS 2X SR.131B CH'D MAT'L WAS 4140/4142 IS 41L402 CH'D MAT'L WAS 410/4142 IS 41L40. CH'D DIM WAS .056 +.004000 IS .0606 CH'D B/O INFO WAS (#97633A320) IS N5000-165 (APPLIED INDUSTRIES #140165-STPAS). ADDED DRAWING	2/27/2015	DPD	JAG				







NOTE: POWER TURBINE AND GAS PRODUCER TURBINE SUPPORT.

ASSY QTY	ASSY QTY	В/О	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	TITLE
	Χ		-1	1	HANDLE WELDMENT			2	DWG NO.
	1		-1A		HANDLE	1018/1020		3	
	1		-1B		HANDLE	41L40		4	MAT'L
			-2	1	PULLER	41L40		5	4Ú
		B/O	-3	1	WASHER	STEEL	Ø1/4 (MCMASTER-CARR #95229A430)	1	.xxx ±
			-4	1	PUSHER	BRASS		6	.XX ± .X ± 1. BREA
		B/O	-5	1	RETAINING RING EXTERNAL	STEEL	Ø1/4 X .025 (MCMASTER-CARR #97633A130)	1	OR .01
			-6	1	RETAINING RING, INTERNAL	STEEL	N5000-165 (APPLIED INDUSTRIES #140165-STPAS) MODIFIED	7	2. DIMEN PLATI
	ASSY -1								SCALE

PUSHER - SEPARATING

MAT'L


1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


1:2


RB6795646 DRAWN BY: CLOUGH USED ON MODEL **ROLLS ROYCE 250 SERIES** DATE 4/14/2003 SHEET 1 OF 7

REV

	REVISIONS								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
1	15-0008	-1 ADDED WELDMENT DRAWING.	1/9/2015	RJC	JAG				







MAT'L

TITLE

HANDLE WELDMENT



PUSHER - SEPARATING

DWG NO.

RB6795646-1

REV 2 CLOUGH


DRAWN BY:


BLACK OXIDE USED ON MODEL


1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE


ROLLS ROYCE 250 SERIES DATE 4/14/2003 SHEET 2 OF 7

revisions									
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
2	15-0052	-1A CH'D DIM WAS \$R.13 IS 2X \$R.13.	2/27/2015	DPD	JAG				













	revisions								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
2	15-0052	-1B CH'D MAT'L WAS 4140/4142 IS 41L40.	2/27/2015	DPD	JAG				





HANDLE

TITLE **PUSHER - SEPARATING**

DWG NO. RB6795646-1B

MAT'L 41L40 DRAWN BY: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8
 .X ± .01 ANGLES ±.5°
 .X ± .1

1. BREAK ALL SHARP EDGES .015 x 45°
 OR .015R

PLATING

DIMENSIONAL LIMITS APPLY AFTER
PLATING


SCALE 1:1

SEE -1 WELDMENT USED ON MODEL

CLOUGH


REV 2


ROLLS ROYCE 250 SERIES DATE 4/14/2003 SHEET 4 OF 7




	REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			













PUSHER

	REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
2	15-0052	-6 ADDED DRAWING	2/27/2015	DPD	JAG			







TITLE

PUSHER - SEPARATING

DWG NO.

RB6795646-6

REV 2 DUERFELDT

MAT'L STEEL

DRAWN BY:

USED ON MODEL

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8
 .X ± .01 ANGLES ±.5°
 .X ± .1

1. BREAK ALL SHARP EDGES .015 x 45°
 OR .015R

PLATING

DIMANNION ST:

DIMANNION ST:

DIMANNION ST:

DIMANNION ST:

DIMANNION ST:

APPROVED

HEAT

TREAT

FINISH

SPEC

U

ROLLS R SCALE

ROLLS ROYCE 250 SERIES DATE 2/27/2015

BLACK OXIDE

SHEET 7 OF 7

RETAINING RING, INTERNAL